

# Cable Management

## IU Cable Rings

These Cannon IU cable rings fit to the side flange of 19-inch mounting posts to provide a neat cable management function.

**Materials & Finish:** Mild steel with a thick black plastic coating.

**Supplied:** Individually with fixings.

### Order Code

Description	Cable Capacity	Order Code
IU Cable Ring	150mm x 50mm	CA154



**Quick  
installation**

## Corner Post Cable Rings

A simple twist and turn action locates this cable ring securely into the corner post profile enabling easy and accurate vertical cable management into all cabinet corner posts. No fixings required!

**Materials & Finish:** Spring steel with a thick black plastic coating.

**Supplied:** Individually.

### Order Code

Description	Cable Capacity	Order Code
Corner Post Cable Ring	38mm x 38mm	CA156

## IU Cable Management Panel

Cannon Cable Management Panels fit directly onto the 19-inch equipment mounting posts of Cannon cabinets and have been designed to provide user-friendly cabling support.

- Eliminates cable chaffing
- Allows through cabling
- Open design allows easy use of cable ties or CannonWrap if required. Can be found on page 5.8

**Materials & Finish:** Mild steel welded construction with a thick black plastic coating

NB: Fixings required - see front panel fixing kit page 5.12.

### Order Code

Description	Order Code
IU Cable Management Panel	CA155



**Size conversions:** 1U = 44.45mm = 1 3/4"    600mm = 24"    700mm = 28"    800mm = 32"    1kg = 2.2lbs

# Cable Management

## Vertical Cable Management Rings For 700mm wide cabinets

Cannon Vertical Cable Management Rings fit directly onto the front or rear faces of each infill panel.

Cannon Vertical Cable Management Rings are available in two sizes:

- 60mm x 50mm
- 60mm x 100mm

**Materials & Finish:** Black plastic coated (Nylon 66 - S/E to 94 VO. 1.5/2.0 thick mild steel).

**Supplied:** Individually with fixings.

### Order Codes

Description	Order Code
60mm x 50mm	CA150
60mm x 100mm	CA151



## Vertical Cable Management Rings For 800mm wide cabinets

Cannon Vertical Cable Management Rings fit directly onto the front or rear faces of each infill panel.

Cannon Vertical Cable Management Rings are available in two sizes:

- 110mm x 50mm
- 110mm x 100mm

**Materials & Finish:** Black plastic coated (Nylon 66 - S/E to 94 VO. 1.5/2.0 thick mild steel).

**Supplied:** Individually with fixings.

### Order Codes


Description	Order Code
110mm x 50mm	CA152
110mm x 100mm	CA153



## IU Cable Management Panel

Cannon Cable Management Panels fit directly onto the 19-inch equipment mounting posts of Cannon cabinets and have been designed to provide user-friendly cabling support.

- Eliminates cable chaffing
- Allows through cabling
- Open design allows easy use of cable ties or CannonWrap if required. Can be found on page 5.8

**Material & Finish:** 1.5mm steel, painted Velvet Black to RAL 9005 or Chameleon (Grey White) to RAL 9002. 

NB: Fixings required - see front panel fixing kit page 6.7.

### Order Code

Description	Order Code
60mm deep	702C01600602
90mm deep	702C01600902



**Size conversions:** 1U = 44.45mm = 1 3/4"    600mm = 24"    700mm = 28"    800mm = 32"    1kg = 2.2lbs



## Vertical Cable Management Rings For 800mm wide cabinets

Cannon Vertical Cable Management Rings fit directly onto the front or rear faces of each infill panel.

Cannon Vertical Cable Management Rings are available in two sizes:

- 90mm x 60mm
- 90mm x 90mm

**Material & Finish:** 1.5mm steel, painted Velvet Black to RAL 9005 or Chameleon (Grey White) to RAL 9002. Other colours available on request.



**Supplied:** Individually with fixings.

### Order Codes

Description	Order Code
90mm x 60mm	71IC00090600
90mm x 90mm	71IC00090900

## CannonWrap

- Self gripping enabling easy containment of cable bundles
- Reduces possibility of damage to cabling
- Softer than traditional plastic cable ties
- Available in 20m roll – cut to any length for your own requirements

### Colour:

Black with white text.

### Order Code

Description	Order Code
Cannon Wrap	CA161



Size conversions: 1U = 44.45mm = 1 3/4"    600mm = 24"    700mm = 28"    800mm = 32"    1kg = 2.2lbs