

STANDARD SIDE PANELS (NOT SMART SPACE)

- Cannon side panels **are normally** included in a standard CANNON cabinet build.
- Side panels are available as spares or may be ordered separately .
- Side panels locate easily into the cabinet and lock by the means of two identical locks.
- *On 1200mm deep cabinets 2 side panels are required for each side of the cabinet i.e. 4 side panels required per 1200mm deep cabinet.

Finish

- Standard: Powder painted Velvet Black to RAL 9005 or Grey White to RAL 9002.
- Other colours available on request.

Supplied:

- Individually




*Please see the note above on how many side panels are required for a 1200mm deep cabinet.

HEIGHT	ORDER PART CODE			
	600mm DEEP	800mm DEEP	900mm DEEP	1000mm DEEP
12U	217C00006012	217C00008012	-	217C00009912
15U	217C00006015	217C00008015	-	217C00009915
18U	217C00006018	217C00008018	-	217C00009918
20U	217C00006020	217C00008020	-	-
21U	217C00006021	-	-	217C00009921
22U	-	217C00008022	-	-
25U	217C00006025	217C00008025	217C00009025	217C00009925
27U	217C00006027	217C00008027	-	217C00009927
33U	217C00006033	217C00008033	217C00009033	217C00009933
37U	217C00006037	217C00008037	-	217C00009937
39U	217C00006039	217C00008039	-	217C00009939
42U	217C00006042	217C00008042	217C00009042	217C00009942
45U	217C00006045	217C00008045	217C00009045	217C00009945
47U	217C00006047	217C00008047	217C00009047	217C00009947
50U	-	-	-	217C00009950
52U	217C00006052	217C00008052	217C00009052	217C00009952
54U	217C00006054	-	-	-

SIDE PANEL SECURITY BAR

The Side Panel Security Bar prevents the removal of the side panel. The bar is installed between the two locks on the inside of the side panel which disables both locks therefore restricting unauthorised access, unless front door is open.



Description	Order Code
600mm Deep	901C00600100
800mm Deep	901C00800101
1000mm Deep	901C00990101

*Please note when ordering security bars for 1200mm deep cabinets you will require 2 x 901C00600101 per side panel so the total required for 1 x cabinet would be 4 security bars.

SIDE PANELS WITH CABLING APERTURES

- 600/1000mm deep Side Panels with 10 cut-outs/cable apertures
- Each cut out/cablings aperture has blue mouldings fitted for ease of cabling
- The cut-out/cablings apertures maybe blanked off if required with the use of optional blanking plates
- Side panels locate easily into the cabinet and lock by the means of two identical locks.

Finish

- Standard: Powder painted Velvet Black to RAL 9005 or Grey White to RAL 9002.
- Additional colours available on request.


Supplied:

- Individually

HEIGHT	ORDER PART CODE			NOTES
U	600mm DEEP	800mm	1000mm DEEP	
42U	218C4202600*	218C42028000*	218C42029900*	*NR152 Moulding
47U	218C47026001	218C47028000*	218C47029901	Blue moulding
52U	-	-	218C52029901	Blue Moulding



*Please see the note above on how many side panels are required for a 1200mm deep cabinet.



SIDE PANELS WITH BRUSH STRIPS

- Side Panels with 6 cut-outs (*3 cut-outs in 600 deep side panel) with brush strip
- Provides interconnect cabling whilst ensuring energy efficient air-flow within the cabinet.
- Side panels locate easily into the cabinet and lock by the means of two identical locks.

Finish

- Standard: Powder painted Velvet Black to RAL 9005 or Grey White to RAL 9002.
- Additional colours available on request.


Supplied:

- Individually

HEIGHT	ORDER PART CODE		
U	600mm DEEP*	800mm DEEP	1000mm DEEP
42U	218C42026006	218C42028001	218C42029906
45U	-	-	218C45029906
47U	218C47026006	218C47028001	218C47029906

SIDE PANEL SECURITY BAR

The Side Panel Security Bar prevents the removal of the side panel. The bar is installed between the two locks on the inside of the side panel which disables both locks therefore restricting unauthorised access, unless front door is open.



Description	Order Code
600mm Deep	901C00600101
800mm Deep	901C00800101
1000mm Deep	901C00990101

*Please note when ordering security bars for 1200mm deep cabinets you will require 2 x 901C00600101 per side panel so the total required for 1 x cabinet would be 4 security bars.

Size conversions: 1U = 44.45mm = 1 3/4" 600mm = 24" 700mm = 28" 800mm = 32" 1kg = 2.2lbs

T: +44(0)1425 632600 | CANNONTECH.CO.UK | SALES@CANNONTECH.CO.UK

SIDE PANELS WITH BOTTOM VENTS

- Ribbed for additional rigidity
- Includes Vent Slots to lower area of side panel allowing ambient air inlet via lower side panel slots.
- Side panels locate easily into the cabinet and lock by the means of two identical locks.
- Optional Side panels with cross interconnect cabling available on request.


Finish

- Standard: Powder painted Velvet Black to RAL 9005 or Grey White to RAL 9002.
- Other colours available on request.

Supplied:

- Individually


HEIGHT	ORDER PART CODE		
U	600mm DEEP	800mm DEEP	1000mm DEEP
12U	218C00106012	218C00108012	218C00109912
15U	218C00106015	218C00108015	218C00109915
18U	218C00106018	218C00108018	218C00109918
20U	218C00106020	-	-
21U	218C00106021	-	-
22U	218C00106022	218C00108022	218C00109922
25U	218C00106025	218C00108025	218C00109925
27U	218C00106027	218C00108027	218C00109927
33U	218C00106033	218C00108033	218C00109933
37U	218C00106037	218C00108037	218C00109937
39U	218C00106039	218C00108039	218C00109939
42U	218C00106042	218C00108042	218C00109942
45U	218C00106045	218C00108045	218C00109945
47U	218C00106047	218C00108047	218C00109947
50U	218C00106050	-	218C00109950
52U	218C00106052	218C00108052	218C00109952
54U	218C00106054	218C00108054	218C00109954



4 x 600 deep side panels are required for a 1200mm deep cabinet.

SIDE PANEL SECURITY BAR

The Side Panel Security Bar prevents the removal of the side panel. The bar is installed between the two locks on the inside of the side panel which disables both locks therefore restricting unauthorised access, unless front door is open.



Description	Order Code
600mm Deep	901C00600101
800mm Deep	901C00800101
1000mm Deep	901C00990101

***Please note when ordering security bars for 1200mm deep cabinets you will require 2 x 901C00600101 per side panel so the total required for 1 x cabinet would be 4 security bars.**