

Single Section (fixed) 3000 Series Wall Mounted Boxes are a true 600mm wide x 600mm deep with removable side panels.

STANDARD SPECIFICATIONS

- Six heights: 6U, 9U, 12U, 15U, 18U, 21U
- Width: 600mm wide
- Depth: 600mm usable depth (actual overall 625mm)
- Four 19-inch mounting posts
- Two removable side panels
- Choice of glass, steel or maxi-vent mesh front door – supplied with a cylindrical lock

OPTIONS/UPGRADES – SEE ACCESSORIES SECTION

FINISH

Standard: Powder painted Velvet Black to RAL 9005 or Chameleon (Grey White) to RAL 9002. Other colours available on request.

QUICK ASSEMBLY

1. Fix top panel to wall with two screws* (top and bottom covers are identical)
2. Fit 19-inch mounting posts in desired position
3. Assemble bottom cover to sides and fix to wall
4. Fit side panels and door as and when required

**Fixings depend on the wall constructions and are, therefore, not included.*



DESCRIPTION	PART CODE
EARTH BONDING KIT	KP0294



ORDER CODES – 600 DEEP			
Height U	With Glass Door	With Perforated Door	With Steel Door
6	510F06606020	510F06606040	510F06606060
9	510F09606020	510F09606040	510F09606060
12	510F12606020	510F12606040	510F12606060
15	510F15606020	510F15606040	510F15606060
18	510F18606020	510F18606040	510F18606060
21	510F21606020	510F21606040	510F21606060

For ASSEMBLED versions please replace the 510F prefix with 510A
e.g. Wall Box 9U 600 x 600 Flat Pack with glass door 510F09606020 | Assembled = **510A09606020**

Size conversions: 1U = 44.45mm = 1 3/4" 600mm = 24" 700mm = 28" 800mm = 32" 1kg = 2.2lbs

T: +44(0)1425 632600 | CANNONTECH.CO.UK | SALES@CANNONTECH.CO.UK

Single section (fixed) 3000 Series Wall Mounted Boxes will grace any installation. Modern and stylish soft line appearance.

STANDARD SPECIFICATIONS

- Six heights: 6U, 9U, 12U, 15U, 18U, 21U
- *****12U Flat packed variants available on XPRESS delivery service for 1 to 3 working day delivery.**
- Width: 516mm
- Two depths: 400mm nominal to door (425mm overall), 600 nominal to door (625mm overall)
- Two fixed 19" mounting posts
- Two fixed side panels
- Choice of perspex, steel or maxi-vent mesh front door - supplied with a cylinder lock

OPTIONS/UPGRADES - SEE ACCESSORIES SECTION

FINISH

- Standard: Powder painted Velvet Black to RAL 9005 or Chameleon (Grey White) to RAL 9002.
- Other colours available on request.



QUICK ASSEMBLY:

1. Fix top panel to wall with two screws* (top and bottom covers are identical)
2. Hook sides to top cover and fix with screws and nuts included (sides are identical)
3. Assemble bottom cover to sides and fix to wall with one centre screw*
4. Fit 19" mounting posts in desired position

Maximum load capacity is 60kg subject to fixings and wall conditions. Upgrade kits available for heavier loads. *Fixings depend on the wall constructions and are therefore, not included.

ORDER CODES – 425 DEEP				
Height U	With Perspex Door	With Perforated Door	With Steel Door	No Door
6	520A06604020	520A06604040	520A06604060	520A06604000
9	520A09604020	520A09604040	520A09604060	520A09604000
12***	520A12604020	520A12604040	520A12604060	520A12604000
15	520A15604020	520A15604040	520A15604060	520A15604000
18	520A18604020	520A18604040	520A18604060	520A18604000
21	520A21604020	520A21604040	520A21604060	520A21604000

ORDER CODES – 625 DEEP				
Height U	With Perspex Door	With Perforated Door	With Steel Door	No Door
6	520A06606020	520A06606040	520A06606060	520A06606000
9	520A09606020	520A09606040	520A09606060	520A09606000
12***	520A12606020	520A12606040	520A12606060	520A12606000
15	520A15606020	520A15606040	520A15606060	520A15606000
18	520A18606020	520A18606040	520A18606060	520A18606000
21	520A21606020	520A21606040	520A21606060	520A21606000

DESCRIPTION	PART CODE
EARTH BONDING KIT	KP0294



Conversion Kit

Conversion kits provide a complete set of components to convert a 600mm deep 3000 Series Wall Mounted Box to a floor standing cabinet.

TO SUIT	PART NO.
6U	KP0270
9U	KP0271
12U	KP0272
15U	KP0273
18U	KP0274
21U	KP0277



CONVERSION KIT

For ASSEMBLED versions please replace the 520A prefix with 580A

e.g. Wall Box 9U 600 x 600 Flat Pack with glass door 520A09606020 | Assembled = 580A09606020

Size conversions: 1U = 44.45mm = 1 3/4" 600mm = 24" 700mm = 28" 800mm = 32" 1kg = 2.2lbs

CANNON WMB – 3000 SERIES

SINGLE SECTION WALL MOUNTED BOX – NO DOOR OPTION

Single section (fixed) 3000 Series Wall Mounted Boxes will grace any installation. Modern and stylish soft line appearance.

STANDARD SPECIFICATIONS

- Five heights: 6U, 9U, 12U, 15U, 18U
- Width: 600mm (ACTUAL 516mm)
- Two depths: 400mm nominal to door (425mm overall), 600 nominal to door (625mm overall)
- Two fixed 19" mounting posts
- Two side panels (REMOVABLE ON 510F MODEL)
- Choice of perspex, steel or maxi-vent mesh front door - supplied with a cylinder lock
- Flat packed as standard



FINISH

- Standard: Powder painted Velvet Black to RAL9005 or Grey White to RAL9002.
- Other colours available on request.

600 WIDE - ORDER CODES – 400/425 DEEP					
Height U	WMB NO DOOR	*Perspex Door	*Perforated Door	*Steel Door	
6	CT400-WB06C	CT3000-06SX	CT3000-06FD	CT3000-06PS	
9	CT400-WB09C	CT3000-09SX	CT3000-09FD	CT3000-09PS	
12	CT400-WB12C	CT3000-12SX	CT3000-12FD	CT3000-12PS	
15	CT400-WB15C	CT3000-15SX	CT3000-15FD	CT3000-15PS	
18	CT400-WB18C	CT3000-18SX	CT3000-18FD	CT3000-18PS	
600 WIDE - ORDER CODES – 600/625 DEEP					
Height U	WMB NO DOOR	*Perspex Door	*Perforated Door	*Steel Door	
6	CT600-WB06C	CT3000-06SX	CT3000-06FD	CT3000-06PS	
9	CT600-WB09C	CT3000-09SX	CT3000-09FD	CT3000-09PS	
12	CT600-WB12C	CT3000-12SX	CT3000-12FD	CT3000-12PS	
15	CT600-WB15C	CT3000-15SX	CT3000-15FD	CT3000-15PS	
18	CT600-WB18C	CT3000-18SX	CT3000-18FD	CT3000-18PS	
700 WIDE - ORDER CODES – 600/625 DEEP					
Height U	WMB NO DOOR	*Perspex Door	*Perforated Door	*Steel Door	
6	510F06706000	CT06U-700SX	CT06U-700FD	CT06U-700PS	
9	510F09706000	CT09U-700SX	CT09U-700FD	CT09U-700PS	
12	510F12706000	CT12U-700SX	CT12U-700FD	CT12U-700PS	
15	510F15706000	CT15U-700SX	CT15U-700FD	CT15U-700PS	
18	510F18706000	CT18U-700SX	CT18U-700FD	CT18U-700PS	
21	510F21706000	CT21U-700SX	CT21U-700FD	CT21U-700PS	
FLOOR STANDING CONVERSION KIT FOR 700W X 600D ABOVE					
Height U	6	9	12	15	18
PART CODE:	KP0335-06	KP0335-09	KP0335-12	KP0335-15	KP0335-18

Conversion Kit

Conversion kits provide a complete set of components to convert a 600mm deep 3000 Series Wall Mounted Box to a floor standing cabinet.

Size conversions: 1U = 44.45mm = 1 3/4" 600mm = 24" 700mm = 28" 800mm = 32" 1kg = 2.2lbs

QUICK ASSEMBLY:

- Fix top panel to wall with two screws** (top and bottom covers are identical)
- Hook sides to top cover and fix with screws and nuts included (sides are identical)
- Assemble bottom cover to sides and fix to wall with one centre screw**
- Fit 19" mounting posts in desired position

Maximum load capacity is 60kg subject to fixings and wall conditions. Upgrade kits available for heavier loads.

NOTES:

* DOOR ONLY ORDER MAIN BODY SEPARATELY

** Fixings depend on the wall construction and are therefore not included.



DESCRIPTION	PART CODE
EARTH BONDING KIT	KP0294



CONVERSION KIT

Hinged (Double-Section) 3000 Series Wall Mounted Boxes will grace any installation. Modern and stylish soft line appearance.

STANDARD SPECIFICATIONS

- Six heights: 6U, 9U, 12U, 15U, 18U, 21U
- Width: 600mm nominal (actual width 557mm)
- Depth: 500mm nominal to door (actual overall 525mm)
- Standard 19-inch mounting
- Choice of perspex, steel or maxi-vent mesh front door - supplied with a cylinder lock
- A wall mounted back section, which is not visible when the unit is closed, for 19-inch mounted interconnection and is concealed within the front equipment section

OPTIONS/UPGRADES - SEE ACCESSORIES SECTION

FINISH

- Standard: Powder painted Velvet Black to RAL 9005 or Chameleon (Grey White) to RAL 9002.
- Other colours available on request.

Hinged Wall Box available in Assembled version only.



DESCRIPTION	PART CODE
EARTH BONDING KIT	KP0294



Side Open View

Maximum load capacity is 60kg subject to fixings and wall conditions.

Fixings depend on the wall constructions and are, therefore, not included.

Left Hand Hinged version shown above for reference only; see part code table below for RH & LH hinged options

ORDER CODES			
*Right Hand Hinged as standard			
Height U	With Perspex Door	With Perforated Door	With Steel Door
6	550A06605020	550A06605040	550A06605060
9	550A09605020	550A09605040	550A09605060
12	550A12605020	550A12605040	550A12605060
15	550A15605020	550A15605040	550A15605060
18	550A18605020	550A18605040	550A18605060
21	550A21605020	550A21605040	550A21605060
NOTE: *Right Hand Hinged as standard for Left Hand Hinged add LH to part code above e.g. 21U with Perspex door and Left Hand hinged would be 550A21605020LH			

Size conversions: 1U = 44.45mm = 1 3/4" 600mm = 24" 700mm = 28" 800mm = 32" 1kg = 2.2lbs