

CANNON DIRECT

EPIC-X

**CABINET
RANGE**

19" Server Cabinet

Multiple Range of Sizes

Rapid Availability


Large Range of Accessories

Cooling Options Available

Secure, Safe Protection

'IT' Ready

Flexible Innovative Design



**1 - 3
WORKING
DAY DELIVERY
SERVICE**

(Dependent on
location)

See our website for our latest brochures
and video for modular data centres

cannontech.co.uk

+44(0)1425 632600

SALES@CANNONTECH.CO.UK

Introduction

EPIC-X SERIES CABINET provides maximum versatility and accessibility with an attractive and modern exterior for use within the broadcast, communications, IT & electronic packaging market sectors.

STANDARD FEATURES

- Modern stylish appearance
- Rugged steel construction
- Two standard widths 600 & 800mm
- Two versatile depths 1000 & 1200mm
- Four adjustable 19" panel/slide mounts
- Large cable access entry point(s) top and base

MATERIALS AND FINISH


- 2mm steel texture powder paint
- 2mm steel, bright zinc plated
- Durable Powder Paint Velvet Black to RAL 9005

TECHNICAL INFORMATION

- Load rating - 800 kg evenly distributed static load
- Manufactured (where applicable) to BS.EN60950 2002, IEC 60297, EIA-310-D, UL94V0

SPECIFICATION


- Heights: 42U, 45U, 47U
- Widths: 600mm, 800mm
- Depths: 1000mm & 1200mm
- Four infinitely adjustable 19-inch mounting posts allowing universal equipment mounting
- Four transit castors fitted or supplied loose



Removable/
lockable side
panels

Quick Release
Perforated 270
degree opening
front door

EPIC-X fitted as standard with perforated front & rear doors, side panels, top cover with knockouts in standard RAL9005 Black.



Quick Release
Perforated 120
degree opening
rear door



800KG

EPIC-X is designed to withstand static loads of 800kg.

FEATURES

- Secure rack for large static loads
- International mounting posts enable rapid and simple equipment installation
- Accommodates all 19-inch rack mountable servers with mixed server depth solutions
- Quick-release hinges on all doors
- Removable & multi-entry roof panel for flood wiring
- Exceptional base access
- Easy access with Cannon's unique 180°/270° opening doors
- Perforated 78% open area front door and rear perforated frame door

Cannon's top panel cable entry "knock-outs" provide a great addition for applications with multiple entry point requirements e.g. to central vertical cable tray, front 19" or rear area for PDU equipment etc.



1 - 3
WORKING
DAY DELIVERY
SERVICE

OPTIONS

- Power Distribution Units 13A, C13, C19
- Vertical Cable Tray 150mm & 300mm widths
- Cable Management Rings
- Blank Panels 1U & 3U
- 19" Cable Management

Standard configurations are available within 1 to 3 working days; see sizing table.

OVERVIEW CHART

A MULTI-PURPOSE HIGHLY VERSATILE CABINET

| SIZES | | | PART CODE | DESCRIPTION |
|-------|-----|------|--------------|---|
| U | W | D | | |
| 42 | 600 | 1000 | EPIC-X426099 | 42U 600 WIDE X 1000 DEEP EPIC XPRESS 19" SERVER CAB |
| | 600 | 1200 | EPIC-X426012 | 42U 600 WIDE X 1200 DEEP EPIC XPRESS 19" SERVER CAB |
| | 800 | 1000 | EPIC-X428099 | 42U 800 WIDE X 1000 DEEP EPIC XPRESS 19" SERVER CAB |
| | 800 | 1200 | EPIC-X428012 | 42U 800 WIDE X 1200 DEEP EPIC XPRESS 19" SERVER CAB |
| 45 | 600 | 1000 | EPIC-X456099 | 45U 600 WIDE X 1000 DEEP EPIC XPRESS 19" SERVER CAB |
| | 600 | 1200 | EPIC-X456012 | 45U 600 WIDE X 1200 DEEP EPIC XPRESS 19" SERVER CAB |
| | 800 | 1000 | EPIC-X458099 | 45U 800 WIDE X 1000 DEEP EPIC XPRESS 19" SERVER CAB |
| | 800 | 1200 | EPIC-X458012 | 45U 800 WIDE X 1200 DEEP EPIC XPRESS 19" SERVER CAB |
| 47 | 600 | 1000 | EPIC-X476099 | 47U 600 WIDE X 1000 DEEP EPIC XPRESS 19" SERVER CAB |
| | 600 | 1200 | EPIC-X476012 | 47U 600 WIDE X 1200 DEEP EPIC XPRESS 19" SERVER CAB |
| | 800 | 1000 | EPIC-X478099 | 47U 800 WIDE X 1000 DEEP EPIC XPRESS 19" SERVER CAB |
| | 800 | 1200 | EPIC-X478012 | 47U 800 WIDE X 1200 DEEP EPIC XPRESS 19" SERVER CAB |

