

1-3
**Working Day
Delivery
Service**
(mainland)

EPIC-X

- **19" Server Cabinet**
- **Multiple Range of Sizes**
- **Rapid Availability**
- **Accessories available**
- **Secure, Safe Protection**
- **'IT' Ready**
- **Flexible Innovative Design**

EPIC-X CABINET

CUTTING-EDGE MODULAR SOLUTION


What is Epic-X?

Our Epic-X range is a cutting-edge solution designed for scalability, energy efficiency and high performance

With advanced security features, Epic-X provides a future-proof infrastructure to meet the evolving demands of your business.

Ideal for industries with high data demands, including telecommunications, electronic packaging, finance, defence and IT.

**1-3
WORKING DAY
DELIVERY
SERVICE**
(mainland)



- 19" Server Cabinet
- Multiple Range of Sizes
- Rapid Availability
- Accessories available
- Secure, Safe Protection
- 'IT' Ready
- Flexible Innovative Design

KEY FEATURES

KEY FEATURES

- **Modern & Modular Design**
Flexible, scalable units that grow with your data needs
- **Easy Access**
Exceptional base access and unique 180° (bayed) / 270° opening doors
- **Rapid Install**
International mounting posts and removable, multi-entry roof panel for flood wiring for rapid installation
- **Safe, Secure Protection**
Steel construction, built for large static loads
- **Rapid Deployment**
Pre-built and factory-fitted solutions reducing installation time

Heights:
25U - 47U

Widths:
600mm -
800mm

Depths:
600mm -
1200mm

Max Load:
1000kg




TECHNICAL INFORMATION

- Accommodates all 19-inch rack-mountable servers with mixed server-depth solutions
- Heights: 25U to 47U
- Widths: 600mm, 800mm
- Depths: 600mm, 800mm, 1000mm & 1200mm
- Perforated 78% open area front door and rear perforated frame door
- Four adjustable 19" panel/slide mounts
- Large cable access entry point(s) top and base
- Four infinitely adjustable 19-inch mounting posts for universal equipment
- Four transit castors fitted or supplied loose




Cannon's top panel cable entry "knock-outs" provide a great addition for applications with multiple entry point requirements (e.g. to central vertical cable tray, front 19" or rear area for PDU etc.)


Quick Release
Perforated 120 degree
rear opening door



Quick Release
Perforated 270 degree
front opening door



Optional
Split Doors



CERTIFICATIONS AND RATINGS

- Manufactured (where applicable) to BS EN IEC 62368 1:2020+A11:2020 Audio/video, information and communication technology equipment, IEC 60297, EIA-310-D, UL94V0
- Load rating: 1000kg evenly distributed static load

FINISH

Standard finish in Durable Powder Paint Black to RAL 9005.

ORDERING

ORDER CODES / PART NUMBERS

Epic-X

All Sizes

| Height U | Dimensions | | Part No. Order Code | Description |
|----------|------------|----------|------------------------|--|
| | Width mm | Depth mm | | |
| 25 | 600 | 600 | EPIC-X256060 | 25U 600 WIDE X 600 DEEP EPIC X 19" SERVER CAB |
| | | 800 | EPIC-X256080 | 25U 600 WIDE X 800 DEEP EPIC X 19" SERVER CAB |
| | | 1000 | EPIC-X256099 | 25U 600 WIDE X 1000 DEEP EPIC X 19" SERVER CAB |
| | 800 | 600 | EPIC-X258060 | 25U 800 WIDE X 600 DEEP EPIC X 19" SERVER CAB |
| | | 800 | EPIC-X258080 | 25U 800 WIDE X 800 DEEP EPIC X 19" SERVER CAB |
| | | 1000 | EPIC-X258099 | 25U 800 WIDE X 1000 DEEP EPIC X 19" SERVER CAB |
| 33 | 600 | 600 | EPIC-X336060 | 33U 600 WIDE X 600 DEEP EPIC X 19" SERVER CAB |
| | | 800 | EPIC-X336080 | 33U 600 WIDE X 800 DEEP EPIC X 19" SERVER CAB |
| | | 1000 | EPIC-X336099 | 33U 600 WIDE X 1000 DEEP EPIC X 19" SERVER CAB |
| | 800 | 600 | EPIC-X338060 | 33U 800 WIDE X 600 DEEP EPIC X 19" SERVER CAB |
| | | 800 | EPIC-X338080 | 33U 800 WIDE X 800 DEEP EPIC X 19" SERVER CAB |
| | | 1000 | EPIC-X338099 | 33U 800 WIDE X 1000 DEEP EPIC X 19" SERVER CAB |
| 38 | 600 | 600 | EPIC-X386060 | 38U 600 WIDE X 600 DEEP EPIC X 19" SERVER CAB |
| | | 800 | EPIC-X386080 | 38U 600 WIDE X 800 DEEP EPIC X 19" SERVER CAB |
| | | 1000 | EPIC-X386099 | 38U 600 WIDE X 1000 DEEP EPIC X 19" SERVER CAB |
| | | 1200 | EPIC-X386012 | 38U 600 WIDE X 1200 DEEP EPIC X 19" SERVER CAB |
| | 800 | 600 | EPIC-X388060 | 38U 800 WIDE X 600 DEEP EPIC X 19" SERVER CAB |
| | | 800 | EPIC-X388080 | 38U 800 WIDE X 800 DEEP EPIC X 19" SERVER CAB |
| | | 1000 | EPIC-X388099 | 38U 800 WIDE X 1000 DEEP EPIC X 19" SERVER CAB |
| | | 1200 | EPIC-X388012 | 38U 800 WIDE X 1200 DEEP EPIC X 19" SERVER CAB |
| 42 | 600 | 600 | EPIC-X426060 | 42U 600 WIDE X 600 DEEP EPIC X 19" SERVER CAB |
| | | 800 | EPIC-X426080 | 42U 600 WIDE X 800 DEEP EPIC X 19" SERVER CAB |
| | | 1000 | EPIC-X426099 | 42U 600 WIDE X 1000 DEEP EPIC X 19" SERVER CAB |
| | | 1200 | EPIC-X426012 | 42U 600 WIDE X 1200 DEEP EPIC X 19" SERVER CAB |
| | 800 | 600 | EPIC-X428060 | 42U 800 WIDE X 600 DEEP EPIC X 19" SERVER CAB |
| | | 800 | EPIC-X428080 | 42U 800 WIDE X 800 DEEP EPIC X 19" SERVER CAB |
| | | 1000 | EPIC-X428099 | 42U 800 WIDE X 1000 DEEP EPIC X 19" SERVER CAB |
| | | 1200 | EPIC-X428012 | 42U 800 WIDE X 1200 DEEP EPIC X 19" SERVER CAB |
| 45 | 600 | 1000 | EPIC-X456099 | 45U 600 WIDE X 1000 DEEP EPIC X 19" SERVER CAB |
| | | 1200 | EPIC-X456012 | 45U 600 WIDE X 1200 DEEP EPIC X 19" SERVER CAB |
| | 800 | 1000 | EPIC-X458099 | 45U 800 WIDE X 1000 DEEP EPIC X 19" SERVER CAB |
| | | 1200 | EPIC-X458012 | 45U 800 WIDE X 1200 DEEP EPIC X 19" SERVER CAB |
| 47 | 600 | 1000 | EPIC-X476099 | 47U 600 WIDE X 1000 DEEP EPIC X 19" SERVER CAB |
| | | 1200 | EPIC-X476012 | 47U 600 WIDE X 1200 DEEP EPIC X 19" SERVER CAB |
| | 800 | 1000 | EPIC-X478099 | 47U 800 WIDE X 1000 DEEP EPIC X 19" SERVER CAB |
| | | 1200 | EPIC-X478012 | 47U 800 WIDE X 1200 DEEP EPIC X 19" SERVER CAB |

Delivery zones / lead times on rear cover

Epic-X Accessories

All Sizes

| Part No. Order Code | Description |
|------------------------|--|
| NR223-1U | 1U Blanking Panel |
| NR223-3U | 3U Blanking Panel |
| CA156 | Corner post cable management ring 38mm x 38mm |
| 711C00090600 | Cable management ring 90mm x 60mm |
| 711C00090900 | Cable management ring 90mm x 90mm |
| 702C01600601 | 19" 1U Cable management panel - Ring Size 60mm D x 30mm H |
| 702C01600902 | 19" 1U Cable management panel - Ring Size 90mm D x 30mm H |
| KP0223 | Earthing kit |
| KP0223-1200D | Earthing kit for 1200 deep cabinets |
| 047C00001525 | 25U 150mm wide vertical cable tray |
| 047C00003025 | 25U 300mm wide vertical cable tray |
| 047C00001533 | 33U 150mm wide vertical cable tray |
| 047C00003033 | 33U 300mm wide vertical cable tray |
| 047C00001538 | 38U 150mm wide vertical cable tray |
| 047C00003038 | 38U 300mm wide vertical cable tray |
| 047C00001542 | 42U 150mm wide vertical cable tray |
| 047C00003042 | 42U 300mm wide vertical cable tray |
| 047C00001545 | 45U 150mm wide vertical cable tray |
| 047C00003045 | 45U 300mm wide vertical cable tray |
| 047C00001547 | 47U 150mm wide vertical cable tray |
| 047C00003047 | 47U 300mm wide vertical cable tray |


Epic-X PDUs

| Part No. Order Code | Description | Number of Outlets | Outlet Socket Type | Power Lead Termination |
|------------------------|--|-------------------|-----------------------|---------------------------|
| CP-X196-E | Horizontal 19" Rack Mounted PDU | 6 | UK | C14 |
| CP-X198-E | Horizontal 19" Rack Mounted PDU | 8 | UK | C14 |
| CP-X198E-E | Horizontal 19" Rack Mounted PDU | 8 | C13 | C14 |
| CP-X1912E-E | Horizontal 19" Rack Mounted PDU | 12 | C13 | C14 |
| CP-C13UK10A2M | C13 to UK 13A mains plug adapter lead | | | |
| CP-XAR12-16 | Right Angled Vertical Rack Mounted PDU | 12 | UK | 16A Comm |
| CP-XAR15-16 | Right Angled Vertical Rack Mounted PDU | 15 | UK | 16A Comm |
| CP-XH12E-16 | Vertical Rack Mounted PDU | 12 | C13 | 16A Comm |
| CP-XH16E-16 | Vertical Rack Mounted PDU | 16 | C13 | 16A Comm |

Epic-X Split Door Option

Front or Rear

| Dimensions | | Front Door Part No. Order Code | Rear Door Part No. Order Code |
|-------------|-------------|--------------------------------------|-------------------------------------|
| Height U | Width mm | | |
| 25 | 600 | 265B90600025 | 125B25600007 |
| | 800 | 265B90800025 | 125B25800007 |
| 33 | 600 | 265B90600033 | 125B33600007 |
| | 800 | 265B90800033 | 125B33800007 |
| 38 | 600 | 265B90600038 | 125B38600007 |
| | 800 | 265B90800038 | 125B38800007 |
| 42 | 600 | 265B90600042 | 125B42600007 |
| | 800 | 265B90800042 | 125B42800007 |
| 45 | 600 | 265B90600045 | 125B45600007 |
| | 800 | 265B90800045 | 125B45800007 |
| 47 | 600 | 265B90600047 | 125B47600007 |
| | 800 | 265B90800047 | 125B47800007 |



DELIVERY TIMESCALES

(Estimated delivery
in working days)



OTHER
ZONES ON
REQUEST



**All In
Stock And
Ready To Go**
With free, rapid
delivery to zones
1, 2 and 3
(mainland)

* Delivery may be palletised
so please ensure you are able
to receive pallets

Cannon Technologies Ltd
Queensway
New Milton
Hampshire
BH25 5NU
UK



+44(0)1425 632600 | sales@cannontech.co.uk

CANNONTECH.CO.UK